# Launch X431 software update instruction

1. Download software

1) Log in www.dbscar.com

2) Click "Log in" at the upper right corner, input Login name and password.

3) Click the button "Log in", one dialog box popup named "Security Alert", select "Yes".


4) Enter Download Center.

5) One-by-one to download DBSCAR_SERIES-UPDATE, firmware upgrade package, X431 IV DISPLAY and car models software.

6) Please create new folder on the desktop and name as "X431".

7) The software saves as the "X431" folder, click "save".

8) After download, the following listed file is what you download.

1. Setup DBSCAR_SERIES-UPDATE

1) Double click "DBSCAR_SERIES-UPDATE"and install it.

2) Choose English, click OK and follow the instruction to setup the

software. After finish installation, click Start-All Programs-Launch_Dbs- Dbscar Serial Update Tool.

3) Open "Dbscar Serial Update Tool".

X431 SERIES UPDATE

|	
☐ DBSCAR_SERIES_UPDATE V7.!	升级工具
☐ X431IV DISPLAY V18.40	升级工具版本：**V7.5**
☐ firmware upgrade package V11.	软件信息
☐ JMC V12.31	软件标识：
☐ JACTY V18.01	语言标识：

升级工具版本：**V7.5**

软件信息
软件标识：
语言标识：

硬件信息
匹配的测试盒：983290084840

已下载的软件

升级的序列号

升 级   退 出

保存下载软件的源目录位置：**X431**

☐ 最新版本   ☐ 全选

源目录：
C:\Documents and Settings\k...\X431

目标目录指向可移动磁盘

目标目录：
F:\

下载网站：mycar.dbscar.com

需要空间：0 MB
可用空间：953.78 MB

删除软件按钮

提示 **CF** 卡或 **TF** 卡可用空间

升级步骤：1.选择需要升级的程序 2.点击【升级】图标 3.升级完成后，请先将CF\TF卡

当前状态：就绪

LAUNCH TECH CO   **LAUNCH**

4) Please tick before the software you want to update, and click "Update".

5) The picture display update successfully.

6) Take out CF card or TF card; insert into the X431 main unit, then X431 can work.

Note: after update, maybe the main unit will ask you to adjust the touch screen, it is normal, after correctly adjust the touch screen, Launch X431 will work.